Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number:

POWER OF ATTORNEY TO PROSECUTE APPLICATIONS BEFORE THE USPTO

37 CFR 3.73(b).	ent under
I hereby appoint:	
✓ Practitioners associated with the Customer Number: 000090083	
OR	
Practitioner(s) named below (if more than ten patent practitioners are to be named, then a customer number must be used	
Name Registration : Name Number	Registration Number
701100	- TOTAL
as attorney(s) or agent(s) to represent the undersigned before the United States Patent and Trademark Office (USPTO) in connec	tion with
as accurately of segregation to represent the universigned service in a united source realist, and materials of the Cost 10 his forman, any and all patent applications assigned entry to the undersigned according to the USPTO assignment records or assignment doci attached to this form in accordance with 37 CFR 3.73(b).	ments
Please change the correspondence address for the application identified in the attached statement under 37 CFR 3.73(b) to:	
The stidness associated with Customer Number: 000090083	
Firm or Individual Name	
Address	
City State Zip	
Country	
Telephone Email	
Assignee Name and Address:	
Marval BloSciences, Inc.	
1302 Waugh, #842	
Houston, Texas 77019	
A copy of this form, together with a statement under 37 CFR 3.73(b) (Form PTO/SB/95 or equivalent) is requ	ired to be
filed in each application in which this form is used. The statement under 37 CFR 3.73(b) may be completed	by one of
the practitioners appointed in this form if the appointed practitioner is authorized to act on behalf of the as- and must identify the application in which this Power of Attorney is to be filed.	signee,
SIGNATURE of Assignee of Record	
The individual whose signature and title is supplied below is authorized to act on behalf of the assignee	
Signature Date August 12,	2D09
Name Russ Lebovitz Telephone 281-802-	4776

This collection of monitoring in required by 3° CPT (3.5), [2.4 and 1.3.5. The intermedual perioding is proposed an application of certification of the process of the process of an application. Certification (3.5) covered by \$5.0 to \$5.0 to \$5.0 to \$5.0 to \$7.0 to \$7.0